




MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

NAVAL SEA SYSTEMS COMMAND
LOGISTIC SUPPORT ANALYSIS
IMPLEMENTATION PROCEDURES

APPENDIX A GENERIC LOGISTIC SUPPORT ANALYSIS STATEMENT OF WORK



OTTC FILE COPY



FINAL REPORT NO. CMLD-CR-82-85 CONTRACT NO. N00167-84-D-0012

APRIL 1985

This document has been approved for public release and sales its distribution is enlimited.

85 5 09 008

NAVAL SEA SYSTEMS COMMAND LOGISTIC SUPPORT ANALYSIS IMPLEMENTATION PROCEDURES

APPENDIX A GENERIC LOGISTIC SUPPORT ANALYSIS STATEMENT OF WORK



Acces	sion For
DTIC Unann	GRA&I TAB Ounced figation
By	ibution/
	lability Codes
Dist	Avail and/or Special

FINAL REPORT NO. CMLD-CR-32-85
CONTRACT NO. N00167-84-D-0012

APRIL 1985

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT NUMBER	l A	3. RECIPIENT'S CATALOG NUMBER
CMLD-CR-32-85	AD-A154888	
4. TITLE (and Rebaile) LOGISTIC SUPPORT ANALYSIS IMPLEMENT PROCEDURES: APPENDIX A, GENERIC LO		Final, Jan 1985 - April 1985
ANALYSIS STATEMENT OF WORK	E. PERFORMING ORG. REPORT NUMBER DTNSRDC - CMLD - CR - 32 - 85 E. CONTRACT OR GRANT NUMBER'S)	
7. AUTHOR(4)		CONTRACT OR GRANT NUMBER(s)
		N00167-84-D-0012
9. PERFORMING ORGANIZATION NAME AND ADDRESS	19. PROGRAM ELEMEN PROJECT, TAJK AREA & WORK UNIT NUMBERS	
DTNSRDC Via KETRON, Inc. 1725 Jefferson Davis F Arlington, Virginia 2	• •	Work Unit Number 1-1872-046
11. CONTROLLING OFFICE NAME AND ADDRESS Office of the Chief of Naval Operat		12. REPORT DATE April 1985
Code 403 Washington, D.C. 20350	LIONS	15. NUMBER OF PAGES 28
14. MONITORING AGENCY NAME & ADDRESS(II different	trem Centrelling Office)	18. SECURITY CLASS. (of this report)
David W. Taylor Naval Ship		Unclassified
Research and Development Center Bethesda, Maryland 20084		18a, DECLASSIFICATION/DOWNGRADING
14. DISTRIBUTION STATEMENT (of this Report)		

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

- 17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)
- 18. SUPPLEMENTARY NOTES
- 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Logistic Support Analysis, LSA, Statment of Work, SOW, Logistic Support Analysis Statement of Work, LSA SOW, Contracting for LSA

26. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This report provides a generic Logistic Support Analysis (LSA) statement of work (SOW) and instructions for tailoring the SOW to a specific NAVSEA ship, weapon system, and equipment acquisition. This report is to be used in conjunction with, and is Appendix A to, NAVSEA LSA Implementation Procedures. NAVSEA LSA Implementation Procedures is published under contract NOO167-84-D-0039, final report number CMLD-CR-16-85, dated January 1985.

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE 5/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

LSA IMPLEMENTATION PROCEDURES APPENDIX A GENERIC LSA STATEMENT OF WORK

<u>Instructions</u>: This generic Logistic Support Analysis (LSA) statement of work expands the outline presented on page 2-4 of this document and provides a sample to be used for developing program specific statements of work. It is <u>not</u> to be used as is. The logistic manager must tailor this generic statement of work by performing the following steps:

- 1. Answer the series of YES/NO questions presented on pages 3-9 through 3-13 of this document. This will determine the LSA subtasks to be performed for your program.
- 2. Document the answers to the series of YES/NO questions from step 1 on the worksheet provided on pages 3-14 through 3-16 of this document. This will provide a list of LSA subtasks to be performed and the attendant Data Item Descriptions.
- 3. Proceed to section 1.2, Scope, of this generic statement of work, starting on page A-3. Refer to the instructions in brackets contained within the lettered item. Delete those items that will not apply to this contract. Re-letter section 1.2 to reflect changes.
- 4. Proceed to section 3.2.1, LSA Tasks, of this generic statement of work, starting on page A-7. Using the worksheet from step 2, delete those LSA subtasks that do not apply to your program. Renumber section 3.2.1 to reflect changes.
- 5. Proceed to section 4.0, DATA ITEM DESCRIPTIONS, starting on page A-11. Delete those Data Item Descriptions that do not apply to this contract. Refer to the paragraph numbers in brackets by each Data Item Description. If these paragraphs have been deleted from the generic statement of work, delete the corresponding data item. Refer to the worksheet from step 2 for clarification.

- 6. Refer to section 3.2.2.2, LSAR, on page A-9. This section specifies an automated LSAR. Most NAVSEA LSARs will be automated. However, if your program does not necessitate an automated LSAR using the guidelines delineated on page 1-4 of this document, modify section 3.2.2.2 as appropriate. If this occurs, section 3.2.2.3, LSAR Access Requirements, must also be modified to delete the requirement for a computer terminal.
- 7. Read the entire tailored statement of work and change [END ITEM] to the name of your program and insert the acquisition phase of your program in [ACQUISITION PHASE]. Delete instructions contained in brackets. Also ensure complete compatibility with your LSA program requirements.
- 8. Determine which LSA data records are required to record the data resulting from this LSA program. Refer to the worksheet developed in step 2. Tailor the Logistic Support Analysis Data Item Description (DI-L-7145) to specify only those LSA data records required for your program.
- 9. Complete the DD Form 1949-1 that is presented on pages A-13 through A-28. This form becomes a part of the statement of work and specifies which data elements the contractor will provide on the LSA data records. MIL-STD-1388-2A provides guidelines for preparing the DD Form 1949-1.
- 10. If LSA subtask 401.2.10, ILS Output Products, is specified, select the desired LSA output summaries listed on pages 3-17 and 3-18 of this document. (NOTE: As of March 1985 it has not been determined that these output summaries meet NAVSEA data requirements. It is not advised to procure the data in the form of an output summary. Continue to order data by specifying the applicable data item descriptions. If all LSAR data is required as a deliverable product, specify DI-L-7159, LSA-015 Sequential Task Description Report; DI-L-7180, LSA-060 LSA Control Number Master File; and DI-L-7181, LSA-061 Parts Master File. These three data items will provide access to all LSAR data, but not to specific output summaries.)

LOGISTIC SUPPORT ANALYSIS STATEMENT OF WORK

- 1.0 GENERAL. This section establishes the requirement for the contractor's Logistic Support Analysis (LSA) program. LSA is prescribed by MIL-STD-1388-1A to influence design as it relates to logistics and to develop logistic support resource requirements.

 The LSA program shall be the basis for the integration of logistic support elements into the design process and shall provide the interface between the design, engineering and logistic programs. The contractor's LSA program shall closely interface with the contractor's reliability and maintainability program. The contractor shall establish procedures for monitoring subcontractor/vendor activities to ensure their compliance with the requirements of this contract.
 - 1.1 <u>Purpose</u>. The purpose of this statement of work and the LSA is to ensure that integrated and effective logistic support is provided for the [END ITEM]. The overall objectives of the contractor's LSA shall be:
 - a. Development of supportability factors, objectives, goals and constraints.
 - b. Achievement of [END ITEM] design characteristics that serve to increase supportability, minimize maintenance requirements, and reduce the total logistic support burden.
 - c. Identification of all valid logistic support resources required for maintenance and operation of the [END ITEM].
 - d. Complete integration of all logistic support elements, at minimum achievable cost.
 - 1.2 <u>Scope</u>. The LSA program established herein shall apply to the [END ITEM] [ACQUISITION PHASE]; to engineering and LSA data changes incorporated as the result of redesign and test and evaluation; and to LSA data base updating. The LSA program shall include, but not be limited to: [SEE STEP 3 OF INSTRUCTIONS ON PAGE A-1]
 - a. The identification of LSA candidates for detailed examination.

- b. The identification of supportability factors related to the intended use of the new system or equipment. [IF ANY 201 SUBTASKS ARE SELECTED]
- c. The identification of design constraints based on existing and planned logistic support resources. [IF ANY 202 SUBTASKS ARE SELECTED]
- d. The conduct of a comparative analysis for determining supportability, cost, and readiness drivers of the LSA candidates. [IF ANY 203 SUBTASKS ARE SELECTED]
- e. The identification of emerging technology with potential application to current design. [IF ANY 204 SUBTASKS ARE SELECTED]
- f. The identification of supportability, design, cost and readiness objectives and constraints. [IF ANY 200 SERIES TASKS ARE SELECTED]
- g. Collection and use of data from engineering analyses such as failure mode criticality and effects, reliability and maintainability, human factors, and safety.
- h. Generation and tracking of support related hardware and software design recommendations.
- i. The conduct of a preventive maintenance analysis using the RCM method of MIL-P-24534A (Navy). [IS SUBTASK 301.2.4.2 IS SELECTED]
- j. The identification of operations and support functions and operations and maintenance tasks to satisfy function requirements. [IF ANY 302 SUBTASKS ARE SELECTED]
- k. Performance of logistic element analyses and tradeoffs. [IF ANY 303 SUBTASKS ARE SELECTED]
- 1. The conduct of an LOR analysis, as defined by MIL-STD-1390B. [IF SUBTASK 303.2.7 IS SELECTED]
- m. The conduct of a task analysis to define tasks, procedures, skills and logistic support resources needed to accomplish all operations and maintenance tasks. [IF ANY 401 SUBTASKS ARE SELECTED]
- n. Optimization of logistic elements.
- o. The establishment and maintenance of an LSA Record (LSAR) to serve as the definitive source of data for ILS resource requirements determination.

- p. Participation in LSA program reviews, design reviews, and test and evaluation that examine logistic supportability.
- q. Update of the LSA data base after supportability test and evalution.
- r. Revisions of the LSA data base due to engineering changes.
- 1.3 <u>Application</u>. The requirements of this section apply to the [ACQUISITION PHASE] of the [END ITEM]. These requirements shall be applied as part of the system engineering process.
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents of the issue in effect on the date of contract award are applicable.
- 2.1 <u>Guidance</u>. The following documents provide guidance:

DoDD 5000.39	Acquisition and Management of Integrated Logistic Support for Systems and Equipment
SECNAVINST 5000.39	Acquisition and Management of Integrated Logistic Support (ILS) for Systems and Equipment
NAVMATINST 3000.2	Operational availability of weapon systems and equipments; definitions and policy
NAVMATINST 4000.20B	Integrated Logistic Support Planning Policy
NAVSEAINST 4790.1A	Expanded Ship Work Breakdown Structure (ESWBS) for all Ships, and Ship Combat Systems

2.2 <u>Specifications</u>. The following documents form a part of this requirement to the extent defined in this section.

MIL-STD-470A Maintainability Program for Systems and Equipment

MIL-STD-785B Reliability Program for Systems and Equipment Development and Production

MIL-STD-1388-1A Logistic Support Analysis

MIL-STD-1388-2A

Dod Requirements for a Logistic Support Analysis Record

MIL-STD-1390B

Level of Repair

MIL-STD-1472C

Human Engineering Design Criteria for Military Systems, Equipment and Facilities

MIL-STD-1629A

Procedures for Performing a Failure Mode, Effects and Criticality Analysis

MIL-P-24534A (Navy)

Planned Maintenance System: Development of Maintenance Requirement Cards, Maintenance Index Pages, and Associated

Documentation

- 3.0 REQUIREMENTS. The contractor shall establish an LSA program to fulfill the requirements defined herein. The logistic engineering efforts and data provided in fulfillment of these requirements shall form the ILS technical data base for the [END ITEM]. This data base shall be used for development of the support requirements for the [END ITEM]. Additionally, the contractor shall use the data developed in response to related programs in the performance of logistic support analysis.
- 3.1 LSA Program Management. The contractor shall plan, organize, direct, and control the performance of the LSA in accordance with the Government approved LSA plan. The LSA plan shall be developed by the contractor in accordance with MIL-STD-1388-1A Task 102 and 103.2.1. LSA management shall account for, as a minimum:
 - a. LSA milestone and resource planning and tracking.
 - b. LSA data base management and configuration control.
 - c. Establishment of technical liaison between contractor design engineering and logistic engineering groups as specified by MIL-STD-1388-1A Task 103.2.3.
 - d. Establishment of technical liaison with subcontractor, vendors, and Government furnished equipment manufacturers.
 - e. Logistic support and supportability related inputs to the design process, and tracking of results.

- f. Attendance at design reviews, and action to ensure achievement of optimum [END ITEM] maintenance and supportability characteristics without duplication or redundancy of effort relative to design and logistics. This shall be accomplished in accordance with MIL-STD-1388-1A Task 103.2.2.
- g. Periodic LSA program reviews, and status and problem definition reports in accordance with MIL-STD-1388-1A Task 103.2.4.
- 3.2 LSA Program Requirements. The contractor shall execute an LSA program applying selected tasks of MIL-STD-1388-1A identified below. The contractor shall document the results of the analyses progressively as the design matures and the analyses occur. The analyses shall include variances dictated by platform and operational scenario. The contractor shall ensure the identification and traceability of analyses documentation to subsequent LSA data records. The products of the following tasks shall be delivered to the Government in accordance with the CDRL.
- 3.2.1 LSA Tasks. [SEE STEP 4 OF INSTRUCTIONS ON PAGE A-1]
- 3.2.1.1 <u>Use Study</u>. The contractor shall perform tasks 201.2.1, 201.2.2, 201.2.3 and 201.2.4.
- 3.2.1.2 <u>Mission Hardware, Software and Support System Standardization</u>. The contractor shall perform tasks 202.2.1, 202.2.2, 202.2.3, and 202.2.4.
- 3.2.1.3 <u>Comparative Analysis</u>. The contractor shall perform tasks 203.2.1, 203.2.2, 203.2.3, 203.2.4, 203.2.5, 203.2.6, and 203.2.7.
- 3.2.1.4 <u>Technological Opportunities</u>. The contractor shall perform tasks 204.2.1, 204.2.2, and 204.2.3.
- 3.2.1.5 <u>Supportability and Supportability Related Design Factors</u>. The contractor shall perform task 205.2.3.

- 3.2.1.6 <u>Functional Requirements Identification</u>. The contractor shall perform tasks 301.2.1, 301.2.2, 301.2.3, 301.2.4.1, 301.2.4.2, 301.2.4.3, 301.2.5, 301.2.6.
- 3.2.1.7 <u>Support System Alternatives</u>. The contractor shall perform tasks 302.2.1, 302.2.2, 302.2.3, 302.2.4, and 302.2.5.
- 3.2.1.8 Evaluation of Alternatives and Tradeoff Analysis. The contractor shall perform tasks 303.2.1, 303.2.2, 303.2.3, 303.2.4, 303.2.5, 303.2.6, 303.2.7, 303.2.8, 303.2.10, 303.2.11, and 303.2.12.
- 3.2.1.9 <u>Task Analysis</u>. The contractor shall perform tasks 401.2.1, 401.2.3, 401.2.4, 401.2.5, 401.2.6, 401.2.7, 401.2.8, 401.2.9, 401.2.10, and 401.2.11.
- 3.2.1.10 <u>Early Fielding Analysis</u>. The contractor shall perform tasks 402.2.1, 402.2.2, 402.2.3, 402.2.4, and 402.2.5.
- 3.2.1.11 <u>Post Production Support Analysis</u>. The contractor shall perform task 403.2.
- 3.2.1.12 <u>Supportability Test, Evaluation and Verification</u>. The contractor shall perform tasks 501.2.1, 501.2.2, 501.2.3, 501.2.4, and 501.2.5.
- 3.2.2 <u>LSA Data Base</u>. The contractor shall establish and maintain a permanent LSA data base to serve as the central repository of logistics engineering and analysis data. All data entries shall be approved for use, released, and controlled by the contractor's LSA manager. All appropriate activities (reliability, maintainability, system engineering, supportability, safety, human engineering) shall input to and participate in the review of all LSA data base entries.

Updates to the LSA data base shall be treated as new data and shall be subject to the same procedures. The data base shall be comprised of three elements: (1) data resulting from the performance of the LSA tasks listed in paragraph 3.2.1, above; (2) engineering design and performance information; and (3) LSA Record (LSAR) data. The LSA data base shall be the sole logistics engineering data base for the [END ITEM] and shall be updated continually to reflect current analytical and logistic resource information.

- 3.2.2.1 <u>Design Information</u>. The contractor shall capture and disseminate engineering design and performance information, from the beginning of the design effort, to serve as the design audit trail for support resource planning, design tradeoff study inputs, and support analysis documentation preparation which is essential for both design and support analysis efforts. Results of the LSA will be disseminated, along with the basic information collected, to appropriate activities (i.e., reliability, maintainability, system engineering, safety, human engineering) for purposes of planning and analysis.
- 3.2.2.2 LSAR. The contractor shall establish and maintain an LSAR in accordance with MIL-STD-1388-2A. The LSAR shall contain the data created from performing the LSA tasks specified in paragraph 3.2.1, herein, and recorded on LSA records as specified in the CDRL. The LSA records shall be completed to the extent specified in the DD Form 1949-1, LSAR Data Selection Sheet, attached to this statement of work. The LSAR shall be automated and may be in the contractor's format provided it meets the requirements of MIL-STD-1388-2A and is approved by the Government. The Government's LSAR automated model may be used by the contractor for the program.
- 3.2.2.3 <u>LSAR Access Requirements</u>. The contractor shall provide a data terminal to allow the Navy to access the contractor's LSAR. As part of this system, a suitable computer terminal shall be

ARTI		LSAR DATA SELECTION SHEET		
CARD/ BLOCK UMBER	DED	DATA ELEMENT NAME		REQUIRED
<u> </u>		LSAR DATA RECORD G (Cantinued)		
3-5	083	JUSTIFICATION		
		LSAR DATA RECORD J		
1-1	197_	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete I Record)	•	
1-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete I Record as needed)	•	
- 3	081	ITEM NAME		
-4	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
1.5	099	DRAWING NUMBER		
1.6	536	USABLE ON CODE		
1-7	535	UPDATE CODE (Applies to complete) Record)	-	
2-3	536	USABLE ON CODE		
1-3	051	CARD SEQUENCING CODE	-	
1-4	177	ITEM DESCRIPTION		
<u>-3</u>	051	CARD SEQUENCING CODE	-	
-4	083	DOD DEVELOPING AGENCY		
5-3	180	CARD SEQUENCING CODE	-	
3	051	CARD SEQUENCING CODE		
5-3 5-4	418	SHIPPING MODES	-	
7.3	051	CARD SEQUENCING CODE	_	
7-4	417	SHIPPING DIMENSIONS	 +	
3-3	051	CARD SEQUENCING CODE	_	·
3-4	496	TOTAL NUMBER AND TYPE OF AXLES	 +	
)-3	051	CARD SEQUENCING CODE		
)-4	217	MAXIMUM AXLE LOAD	-	
)-3	051	CARD SEQUENCING CODE		
)-4	150	GROUND CONTACT LENGTH		
1-3	051	CARD SEQUENCING CODE		
1 -4	149	GROUND CONTACT AREA		
2-3	051	CARD SEQUENCING CODE	•	
2 4	144	SPECIAL SHIPPING REQUIREMENTS		
3.3	051	CARD SEQUENCING CODE	-	
3-4	491	TIEDOWN PROVISIONS		
4-3	051	CARD SEQUENCING CODE	A	
4-4	191	LIFTING PROVISIONS		
5-3	051	CARD SEQUENCING CODE		
5-4	381	REMARKS/OVERFLOW		
	<u> </u>			
	.			
				
	ļ. —			
	<u> </u>			
	 		 -∔	
	 		\longrightarrow	
	 	 		
	 	 		
	 		-	
	 		\longrightarrow	
	 		+	
	 			
	 		+	
	† 			
	1	<u> </u>		

DO Form 1949-1 84 JUL Part LiPage 11

		LSAR DATA SELECTION SHEET	
CARD/ 9LOCK NUMBER	DED NO	DATA ELEMENT NAME	REQUIRED
	 	LSAR DATA RECORD F (Continued)	
2-5 8,11	023	ALTERNATE LSA CONTROL NUMBER CODE	
2-6 9.12	467	*ASK CODE	
)3-3	051	CARD SEQUENCING CODE	
3.4	115	FACILITIES REQUIREMENTS	
34-3	051	CARD SEQUENCING CODE	· · · · · · · · · · · · · · · · · · ·
34-4	113	FACILITIES DESIGN CRITERIA	
)5-}	051	CARD SEQUENCING CODE	
35 4	114	FACILITIES INSTALLATION LEAD TIMES	
36-3	051	CARD SEQUENCING CODE	
6-4	513	TYPE OF CONSTRUCTION	'
7-3	051	CARD SEQUENCING CODE	
7 4	537	JTILITIES REQUIREMENTS	
08-3	051	CARD SEQUENCING CODE	
08-4	117	FACILITIES UTILIZATION	
) 9 - }	051	CARD SEQUENCING CODE	.
9-4	119	FACILITY UNIT COST RATIONALE	
0-3	051	CARD SEQUENCING CODE	
0.4	183	JUSTIFICATION	+
	1	LSAR DATA RECORD G	
)1.1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete G Record)	
)1-2	023	ALTERNATE USA CONTROL NUMBER CODE (Applies to complete G Record as needed)	
)1.3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
)1-4	'06	END ITEM ACRONYM CODE	
01.5	414	SERVICE DESIGNATOR CODE	
01 6	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
)1.7	098	DRAWING CLASSIFICATION	
01 8	411	SERIAL NUMBER EFFECTIVITY	
21.9	535	UPDATE CODE (Applies to complete G Record)	
2 3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
2 4	101	DUTY POSITION REQUIRING A NEW OR REVISED SKILL	<u> </u>
2 5	434	SKILL SPECIALTY FROM WHICH PERSONNEL CAN BE OBTAINED	
02 6	489	"EST SCORE	+
2 7	399	SECURITY CLEARANCE	
)2 6	366	RECOMMENDED RANK / RATE / PAY PLAN / GRADE	
33-3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
33-4	051	CARD SEQUENCING CODE	+
33.58	197	LOGISTIC SUPPORT ANALYSIS CONROL NUMBER	
03-6-9	023	ALTERNATE USA CONTROL NUMBER CODE	+
03-7-10	367	*ASK CODE	
)4-3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	+
04-4	951		
04-5	010	ADDITIONAL SKILL REQUIREMENT SKILL REQUIRING A NEW OR REVISED CODE	
)5-3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
)5·4	051		
	319	PHYSICAL AND MENTAL REQUIREMENTS	-
05·5 06·3	424	SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
	+		
06-4	051	3-10 / 7401 / 70 / 70 / 70 / 70 / 70 / 70 / 70 /	-
06-5	.03	SDUCATIONAL QUALIFICATIONS ACADEMIC SUBJECTS, SPECIAL SUBJECTS, DEGREES, LICENSES, ETC	
07-3	424	SXILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	
07-4	051	CARD SEQUENCING CODE	+
07-5	424	ADDITIONAL TRAINING REQUIREMENTS SKILL SPECIALTY CODE ASSIGNED NEW DUTY POSITION	+
) 8 -3			

Part 1, Page

PART I		LSAR DATA SELECTION SHEET		
CARD/ BLOCK NUMBER	OED NO.	DATA ELEMENT NAME		REQUIRED
	 	LSAR DATA RECORD E (Continued)		
7-4	011	ADDITIONAL SKILLS AND SPECIAL TRAINING REQUIREMENTS		
8-3	051	CARD SEQUENCING CODE	_	
8-4	183	JUSTIFICATION		
9-3	051	CARD SEQUENCING CODE	_	
9-4	050	CARD REFERENCE		
9-5	111	EXPLANATION		
		LSAR DATA RECORD E1		
20-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER	•	
20-2	023	ALTERNATE LSA CONTROL NUMBER CODE	_	
20-3	181	ITEM NAME	1	
0-4	213	MANUFACTURER'S PART NUMBER		
20-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
20-6	488	TEST REQUIREMENTS DOCUMENT NUMBER		
0-7	069	CONVERSION FACTOR		
21-3	214	MANUFACTURER'S PART NUMBER OVERFLOW		· · · · · · · · · · · · · · · · · · ·
22-4	306	PARAMETERS TO BE MEASURED	$\overline{}$	
22-5	449	STANDARDS FOR COMPARISON		
22-6	070	COORDINATED TEST PLAN		
22-7	477	TECHNICAL DATA PACKAGE		
2-8	400	SELF-TEST		
2.9	484	TEST, MEASUREMENT AND DIAGNOSTIC EQUIPMENT REGISTER INDEX NUMBER		-
3-3	051	CARD SEQUENCING CODE	-	
3-4	007	ADAPATER /INTERCONNECTION DEVICE(S)		
4-3	051	CARD SEQUENCING CODE	•	
4-4	282	OPERATIONAL ATE/TMDE TEST PROGRAM		
5-3	051	CARD SEQUENCING CODE		
5-4	286	OPERATIONAL TEST PROGRAM INSTRUCTION		
6-3	051	CARD SEQUENCING CODE	•	
6-4	136	FAULT ISOLATION		
6-5	135	FAULT ISOLATED REPLACEABLE UNITS		
27-3	051	CARD SEQUENCING CODE		
27-4	163	INSTALLATION FACTORS OR OTHER FACILITIES		
28-3	051	CARD SEQUENCING CODE		
28-4	183	JUSTIFICATION		
29-3	051	CARD SEQUENCING CODE		
29-4	447	SPECIFICATIONS, CHARACTERISTICS, DESCRIPTION AND FUNCTION		
30-3	051	CARD SEQUENCING CODE		
30-4	050	CARD REFERENCE		
30-5	112	EXPLANATION		
70-7	+ ''*	LSAR DATA RECORD F		
)1-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete F Record)	_	
)1-1)1-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete F Record as needed)		
)1-2)1-3	106			
71-4	414	END ITEM ACRONYM CODE SERVICE DESIGNATOR CODE		
1-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
	+			
)1.6)1.7	098	DRAWING CLASSIFICATION		
	181	ITEM NAME (FACILITY)		
01-8	118	FACILITY CATEGORY CODE		
1.9	031	AREA		
01-10	524	UNIT OF MEASURE		
)1-11	535	UPDATE CODE (Applies to complete F Record) CARD SEQUENCING CODE	-	
2-3	051		A	

Part E. Page 9

PART I		LSAR DATA SELECTION SHEET		
CARD/ BLOCK NUMBER	DED NO	OATA ELEMENT NAME		REQUIRED
		LSAR DATA RECORD E (Continued)		
06-9	336	PRODUCTION LEAD TIME		
06-10	547	YEAR OF FIELDING		
06-11	456	SUPPORT EQUIPMENT GROUPING		
06-12	330	PRE-POSITION CODE		
06-13	400	SELF TEST	-	
06-14	092	DEVELOPMENT STANDARD		
06-15	074	CRITICAL SUPPORT EQUIPMENT		
06-16	457	SUPPORT EQUIPMENT REQUIRED		
06-17	097	DOCUMENT DENTIFIER CODE		
06-18	392	REPORTABLE ITEM CONTROL CODE		
06-19	048	CALIBRATION STANDARD		
06-20	047	CALIBRATION REQUIRED		
06-21	045	CALIBRATION INTERVAL		
06-22	049	CALIBRATION TIME		
06-23	046	CALIBRATION ITEM		
06-24	485	TEST POINTS		
06-25	483	TEST LANGUAGE		
07-3	175	ITEM CATEGORY CODE	<u> </u>	
07-4	278	OPERATING CHARACTERISTICS		
07-5	450	STORAGE CHARACTERISTICS		
07-6	192	LINE ITEM NUMBER		
08-3	519	UNIT COST NONRECURRING		
08-4	528	UNIT PRICE MARKER		
08-5	520	UNIT COST RECURRING		
08-6	528	UNIT PRICE MARKER		
08-7	112	EXTENDED UNIT PRICE		
06-8	277	OPERATING AND SUPPORT COST		
08-9	235	MEAN TIME BETWEEN FAILURES		
08-10	236	MEAN TIME BETWEEN MAINTENANCE ACTIONS		
08-11	241	MEAN TIME TO REPAIR		
09-3	051	CARD SEQUENCING CODE		
09-4	414	SERVICE DESIGNATOR CODE		
09-5	446	SPECIFIC AUTHORIZATION		
09-6	497	TOTAL QUANTITY		
09-7	423	SKILL SPECIALTY CODE		
09-8	291	OPERATOR'S MANUAL	 	ļ
10-3	051	CARD SEQUENCING CODE		
10-4	146	FUNCTIONS TO BE PERFORMED, C AND D RECORDS		
11.3	051	CARD SEQUENCING CODE		
11-4	305	PARAMETERS MEASURED		
11.5	008	ADAPTER/INTERCONNECTION DEVICE REQUIRED		ļ
71-6	402	SENSORS OR TRANSDUCERS		
11-7	160	NPUT POWER SOURCE		
12-3	051	CARD SEQUENCING CODE		
12.4	007	ADAPTER INTERCONNECTION DEVICE(S)		
13-3	051	CARD SEQUENCING CODE		
13.4	034	ATE TMDE TEST PROGRAM	···	
14-3	051	CARD SEQUENCING CODE		
14-4	486	TEST PROGRAM INSTRUCTION		
15-3	051	CARD SEQUENCING CODE		
15-4	163	INSTALLATION FACTORS OR OTHER FACILITIES		
16-3	051	CARD SEQUENCING CODE		
16-4	447	SPECIFICATION CHARACTERISTICS DESCRIPTION AND FUNCTION		
17.3	051	CARD SEQUENCING CODE		

Part | Page 3

PART I		LSAR DATA SELECTION SHEET		
CARD/ BLOCK NUMBER	DED NO	DATA ELEMENT NAME		REQUIRED
		LSAR DATA RECORD D1 (Continued)		
06-7F-1	222	PREDICTED MEAN MAN-HOURS		
06-7F-2	222 -	MEASURED MAN-HOURS		
06-7G	468	TASK CONDITION		
06-7H	313	PERFORMANCE STANDARDS		
06-71	504	TRAINING RECOMMENDATION	\Box	
06-71	503	TRAINING RATIONALE		
06-7K	502	TRAINING LOCATION RATIONALE		
06-7L	469	TASK CRITICALITY	$-\bot$	
07-3	467	TASK CODE	•	
07-4	460	SUPPORT ITEM SEQUENCE CODE		
07-5	372	REFERENCE NUMBER		
07-6	421	SIGNIFICANT CHARACTER CODE		
07-7	175	ITEM CATEGORY CODE		
07-8	181	ITEM NAME		
07-9	354	QUANTITY PER TASK	$-\!\!\downarrow$	
07-10	524	UNIT OF MEASURE	$-\!\!\!\!\!+$	
07-11	152	HARDNESS CRITICAL ITEM		
		LSAR DATA RECORD E		
01-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete E Record)	-	
01-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete E Record as needed.)	_	
01-3	106	END ITEM ACRONYM CODE	$-\downarrow$	
01-4	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		, , , , , , , , , , , , , , , , , , ,
01.5	098	DRAWING CLASSIFICATION	_	
01.6	411	SERIAL NUMBER EFFECTIVITY	-+	
01-7	414	SERVICE DESIGNATOR CODE		
01-8	211	MANAGING COMMAND / AGENCY	-+	
01-9	458	SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER		
01-10	459	SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER SUPERSEDED	\rightarrow	
01-11	065	CONTRACTOR FURNISHED EQUIPMENT GOVERNMENT FURNISHED EQUIPMENT	\dashv	
01-12	066	CONTRACTOR TECHNICAL INFORMATION CODE	 -	
01-13	535	UPDATE CODE (Applies to E and E1 Records)	—♣	
02-3	181	ITEM NAME	\rightarrow +	
02-4		TEM DESIGNATOR CODE	-+	
02-5	213	MANUFACTURER'S PART NUMBER	-+	
03-4	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	-+	
03.5	099	DRAWING NUMBER	-	
03-6	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
03.7	134	FAMILY GROUP	+	
03-8	148	GENERIC CODE	-+	
03-9	196	LOGISTIC CONTROL CODE	\dashv	
03-10	102	ECONOMIC ANALYSIS	+	·
03-11	256	MODIFICATION OR CHANGE	-+	
03-12	198	LSA RECOMMENDATION CODE	-+	
04-3	214	MANUFACTURER'S PART NUMBER OVERFLOW	+	
04-4	100	DRAWING NUMBER OVERFLOW		
05-3	259	NATIONAL STOCK NUMBER AND RELATED DATA	$\overline{}$	
05-4	536	USABLE ON CODE	-+	
06-3	288	OPERATIONS - MAINTENANCE LEVEL		
06-4	436	SOURCE MAINTENANCE AND RECOVERABILITY CODE	+	
06-5	510	TYPE CLASSIFICATION	-	
06-6	190	LIFE SPAN	-+	
	189	LIFE CYCLE STATUS	$\neg +$	
06-7				

Part | Page 1

		LSAR DATA SELECTION SHEET		
CARD/ BLOCK NUMBER	DED NO.	DATA ELEMENT NAME		REQUIRED
_		LSAR DATA RECORD D (Continued)		
2-5	410	SEQUENTIAL TASK DESCRIPTION		
2-6	544	WORK AREA CODE		
2.7	316	PERSON IDENTIFIER		
2-6	223	WEAN MAN-MINUTES		
2-9	232	MEAN MINUTE ELAPSED TIME		
3-3	467	TASK CODE	-	
3-4	051	CARD SEQUENCING CODE		
3-5	406	SEQUENCE LINE NUMBER	<u> </u>	
3-6	403 376	SEQUENCE INSERTION LINE NUMBER REFERENCED TASK	-	
3-7A	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER		
3-78	023	ALTERNATE LSA CONTROL NUMBER CODE		
3-7C	467	TASK CODE		
3-7D	473	TASK IDENTIFICATION CODE		
3-7E	407	SEQUENCE LINE NUMBER FROM		
3-7F	404	SEQUENCE INSERTION LINE NUMBER FROM		
3-7G	408	SEQUENCE LINE NUMBER TO		
3-7H	405	SEQUENCE INSERTION LINE NUMBER TO		
)4-3	467	TASK CODE		
4-4	425	SKILL SPECIALTY CODE - A		
4-5	224	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - A		
4-6	426	SKILL SPECIALTY CODE - 8		
4-7	225	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - B		
4-8	427	SKILL SPECIALTY CODE · C		
4-10	226 428	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - C		
)4-10)4-11	227	SKILL SPECIALTY CODE - D MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - D	- 1	
24-11 34-12	233	MEAN MINUTES TOTAL ELAPSED TIME		
)5-3	467	TASK CODE		
)5-4	429	SKILL SPECIALTY CODE - E		
)5-5	228	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - E		
)5-6	430	SKILL SPECIALTY CODE - F		
)5-7	229	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - F		
75-8	431	SKILL SPECIALTY CODE - G		-
)5-9	230	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - G		
05-10	432	SKILL SPECIALTY CODE - H		
05-11	231	MEAN MAN-MINUTES PER SKILL SPECIALTY CODE - H		
		LSAR DATA RECORD D1		
06-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete D1 Record)	_	
16-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete D1 Record as needed)	-	
6-3	467	TASK CODE	-	
6-4	051	CARD SEQUENCING CODE	-	
6-5	220	MEAN ELAPSED TIME		
6-5A 6-58	220	PREDICTED MEASURED		
/6-58 /6-6	456	SUPPORT EQUIPMENT GROUPING		
16-7	317	PERSONNEL SUMMARY		
%-7A	316	PERSON IDENTIFIER		
36-78	422	SKILL LEVEL CODE		
X6-7C	423	SKILL SPECIALTY CODE		
	433	SKILL SPECIALTY EVALUATION CODE		
16-7D	223			

Part I, Page 6

PARTI		LSAR DATA SELECTION SHEET	
CARD/ BLOCK NU://BER	DED NO	DATA ELEMENT NAME	REQUIRED
		ISAR DATA RECORD 82 (Continued)	
18-3	128	FAILURE MODE INDICATOR	
18-4	051	CARD SEQUENCING CODE	
18-5.9	197	LOGISTICS SUPPORT ANALYSIS CONTROL NUMBER	
18-6, 10	023	ALTERNATE LSA CONTROL NUMBER CODE	
18-7, 11	467	TASK CODE	
16-8, 12	476	TASK TIME	
		LSAR DATA RECORD C	
01-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete C Record)	
01-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete C Record as needed.)	
01-3	106	END ITEM ACRONYM CODE	
01-4	414	SERVICE DESIGNATOR CODE	
01-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
01-6	098	DRAWING CLASSIFICATION	
01-7	411	SERIAL NUMBER EFFECTIVITY	
01-8	536	USABLE ON CODE	
	536	OPTION 1	
	536	OPTION 2	
	536	OPTION 3	
01.9	535	UPDATE CODE (Applies to complete C Record)	
02-3	536	USABLE ON CODE	
)3-3	181	ITEM NAME	
)3-4	178	ITEM DESIGNATOR CODE	
33-5	069	CONVERSION FACTOR	
)4-3	213	MANUFACTURER'S PART NUMBER	
04-4 04-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
04-6	139	PRAWING NUMBER FEDERAL SUPPLY CODE FOR MANUFACTURERS	
04-7	545		
05-3	214	WORK UNIT CODE/TECHNICAL MANUAL FUNCTIONAL GROUP CODE MANUFACTURER'S PART NUMBER OVERFLOW	
05-4	100	DRAWING NUMBER OVERFLOW	
06-3	467	TASK CODE	
06-4	470	TASK FREQUENCY	
06-5	244	MEASUREMENT BASE	
06-6	472	TASK IDENTIFICATION	
06-7	473	TASK IDENTIFICATION CODE	
06-8	394	REQUIREMENTS FOR	
06-8A	394	FACILITIES REQUIREMENTS CODE	
06-88	394	TRAINING EQUIPMENT REQUIREMENTS CODE	
06-8C	394	TOOL/SUPPLY EQUIPMENT REQUIREMENTS CODE	
06-9	242	MEANS OF DETECTION	
06-10	155	HAZARDOUS MAINTENANCE PROCEDURES CODE	
06-11	153	HARONESS CRITICAL PROCEDURES	
06-12	479	TECHNICAL MANUAL CODE	
		LSAR DATA RECORD D	
01-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete D Record except DO2)	
31-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete D Record as needed except DO21)	
01-3	467	TASK CODE	
01-4	473	TASK IDENTIFICATION CODE	
01-5	472	TASK IDENTIFICATION	
01.6	535	UPDATE CODE (Applies to D and D1 Record)	
02-1	473	TASK IDENTIFICATION CODE	
02-2	406	SEQUENCE LINE NUMBER	
02-3	403	SEQUENCE INSERTION LINE NUMBER	
02 4	451	SUBTASK / TASK ELEMENT CODE	

Part I Page 5

PART I		LSAR DATA SELECTION SHEET		
CARD/ BLOCK NUMBER	OED NO.	DATA ELEMENT NAME		REQUIRED
		LSAR DATA RECORD B (Continued)		
9-3	051	CARD SEQUENCING CODE		
9-4	348	QUALITATIVE AND QUANTATIVE MAINTAINABILITY REQUIREMENTS		
0-3	0\$1	CARD SEQUENCING CODE		
0-4	204	MAINTENANCE CONCEPT		
11-3	128	FAILURE MODE INDICATOR	_	
11-4	051	CARD SEQUENCING CODE		
11-5	333	PREVENTIVE MAINTENANCE		
11-5A	377	RELIABILITY CENTERED MAINTENANCE LOGIC RESULTS		
11-58	095	DISPOSITION		
11-5C	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER	-	
11-50	023 467	ALTERNATE LSA CONTROL NUMBER CODE TASK CODE		
11-5E 11-5F	476	TASK TIME	-	
11-5G	194	LOGIC UTILIZED		
12-3	128	FAILURE MODE INDICATOR		···
12-4	051	CARD SEQUENCING CODE		
12-5	466	SYSTEM REDESIGN: RECOMMENDATION, DISPOSITION, RESULTS, REMARKS		
		LSAR DATA RECORD B1		
13-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete 81 Record)	_	
13-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete 81 Record as needed.)	A	
3-3	128	FAILURE MODE INDICATOR	•	· · · · · · · · · · · · · · · · · · ·
13-4	051	CARD SEQUENCING CODE	•	
13-5	126	FAILURE MODE CODE		
13-6	125	FAILURE MODE AND CAUSE / DAMAGE MODE		
13-7	251	MISSION PHASE CODE		
13-8	252	MISSION PHASE/OPERATIONAL MODE		
13-9	131	FAILURE PROBABILITY LEVEL		
13-10	396	SAFETY HAZARD SEVERITY CODE		
14-3	128	FAILURE MODE INDICATOR	-	
14-4	051	CARD SEQUENCING CODE		
14-5	123	FAILURE EFFECT CODE		
14-6	120	FAILURE / DAMAGE EFFECTS: LOCAL, NEXT HIGHER, END EFFECT		
15-3	128	FAILURE MODE INDICATOR	- \$ -	
15-4	122	CARD SEQUENCING CODE	 \$	
15-5 15-6	121	FAILURE DETECTION METHOD CODE FAILURE DETECTION METHOD		
15-7	057	COMPENSATING PROVISIONS		
	+ ","	LSAR DATA RECORD 82		· · · · · · · · · · · · · · · · · · ·
16-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete 82 Record)		
16-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete 82 Record as needed.)		
16-3	128	FAILURE MODE INDICATOR	_	
16-4	051	CARD SEQUENCING CODE	_	<u> </u>
16-5	133	FAILURE RATE DATA SOURCE		
6-6	251	MISSION PHASE CODE		
16-7	396	SAFETY HAZARD SEVERITY CODE		
16-8	124	FAILURE EFFECT PROBABILITY		
16-9	129	FAILURE MODE RATIO		
16-10	132	FAILURE RATE		
16-11	280	OPERATING TIME	\Box	
16-12	127	FAILURE MODE CRITICALITY NUMBER	I	
16-13	176	ITEM CRITICALITY NUMBER		
17-3	128	FAILURE MODE INDICATOR	_	
17.4	051	CARD SEQUENCING CODE		
17-5	130	FAILURE PREDICTABILITY		

00 form 1949-1.64 JUL

r

Part | Page 4

CARD/ BLOCK	OED	DATA ELEMENT NAME	REQUIRED
NUMBER	NO		REGUIRES
		LSAR DATA RECORD B (Continued)	
11-4	414	SERVICE DESIGNATOR CODE	
)1-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
01-6	098	DRAWING CLASSIFICATION	
01-7	411	SERIAL NUMBER EFFECTIVITY	
01-8	536	USABLE ON CODE	
	536	OPTION 1	
	536	OPTION 2	
	536	OPTION 3	
01-9	535	UPDATE CODE (Applies to complete 8, 81, and 82 Records)	
02-3	536	USABLE ON CODE	
03-3	181	ITEM NAME	
03-4	178	ITEM DESIGNATOR CODE	
03-5	069	CONVERSION FACTOR	
04-3	213	MANUFACTURER'S PART NUMBER	
04-4	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
04-5	099	DRAWING NUMBER	
04-6	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
04-7	545	WORK UNIT CODE/TECHNICAL MANUAL FUNCTIONAL GROUP CODE	
05-3	214	MANUFACTURER'S PART NUMBER OVERFLOW	
05-4	100	DRAWING NUMBER OVERFLOW	
06-3	195	LOGISTIC CONSIDERATIONS	
06-4	040	BUILT IN TEST APPLICATION	
06-4A	040	DETECTABILITY LEVEL PERCENTAGE	
06-48	040	FAULT ISOLATION	
06-5	040	BUILT IN TEST APPLICATION	
06-5A	040	DETECTABILITY LEVEL PERCENTAGE	
06-58	040	FAULT ISOLATION	· · · · · · · · · · · · · · · · · · ·
06-6	041	BUILT IN TEST CANNOT DUPLICATE PERCENTAGE	
06-7	042	BUILT IN TEST RETEST OK PERCENTAGE	
06-8	321	PILOT REWORK / OVERHAUL CANDIDATE	
06-9	165	INTERIM CONTRACTOR SUPPORT	
06-10	152	HARDNESS CRITICAL ITEM	
06-11 06-12	158	INHERENT AVAILABILITY	
	003	ACHIEVED AVAILABILITY	
06-13	283	OPERATIONAL AVAILABILITY WEAROUT LIFE	
06-14 06-15	244	MEASUREMENT BASE	
06-15	015		
07-16 07-3	379	ADMINISTRATIVE AND LOGISTIC DELAY TIME RELIABILITY / MAINTAINABILITY INDICATOR CODE	
07-4 07-4	235	MEAN TIME BETWEEN FAILURES	
07-5	236	MEAN TIME BETWEEN MAINTENANCE ACTIONS	
07-5 07-6	159	INHERENT MAINTENANCE FACTOR	
07-6 07-7	238	MEAN TIME BETWEEN MAINTENANCE INHERENT	
07-7 07- 8			
07-8	237	GROWTH RATE	
07-10	239	MEAN TIME BETWEEN MAINTENANCE INDUCED MEAN TIME BETWEEN MAINTENANCE NO DEFECT	
07-10 07-11	240		
07-11		MEAN TIME BETWEEN PREVENTIVE MAINTENANCE	
	244	MEASUREMENT BASE	
07-13	241	MEAN TIME TO REPAIR	
07-14	216	MAXIMUM TIME TO REPAIR	
07-15	312	PERCENTILE	<u> </u>
08-3	179	CARD SEQUENCING CODE ITEM FUNCTION	

Part I Page 3

		LSAR DATA SELECTION SHEET		
CARD/ BLOCK	DED NO	DATA ELEMENT NAME	- 1	REQUIRED
UMBER		LOCA TATA SPECIAL A (Cardon A		
		LSAR DATA RECORD A (Continued)		
9-3	051	CARD SEQUENCING CODE		
9-4 9-5	288 414	OPERATIONS/MAINTENANCE LEVEL SERVICE DESIGNATOR CODE	-	
9-6	270	NUMBER OF SYSTEMS SUPPORTED		
9-7	534	UNSCHEDULED MAINTENANCE		
9-7A	534	MEAN ELAPSED TIME		
9-78	534	MEAN MAN-HOURS		
9-8	218	MAXIMUM TIME TO REPAIR		
9-9	312	PERCENTILE		
9-10	210	MAN-HOUR PER OPERATING HOUR		· · · · · · · · · · · · · · · · · · ·
9-10A	210	SCHEDULED		
9-108	210	UNSCHEDULED		
9-11	026	ANNUAL MAN-HOURS		
9-11A 9-11B	026 026	UNSCHEDULED	+	
9-116	508	TURNAROUND		
9-12A	508	MEAN ELAPSED TIME	$\overline{}$	
9-128	508	MEAN MAN-HOURS		
0-3	051	CARD SEQUENCING CODE	A	
0-4	288	OPERATIONS / MAINTENANCE LEVEL	A	
0-5	414	SERVICE DESIGNATOR CODE		
0-6	079	DAILY INSPECTION		•
0-6A	079	MEAN ELAPSED TIME		
0-68	079	MEAN MAN-HOURS		
0-7	328	PREOPERATIVE INSPECTION		
0-7A	328	MEAN ELAPSED TIME		
0-7B	328	MEAN MAN-HOURS		
0.8	323 323	POSTOPERATIVE INSPECTION		
0-8A 0-88	323	MEAN BLAPSED TIME MEAN MAN-HOURS	}	
0-96	314	PERIODIC INSPECTION	-	
0-9A	314	MEAN ELAPSED TIME		-
0-98	314	MEAN MAN-HOURS		
0-10	253	MISSION PROFILE CHANGE		
0-10A	253	MEAN ELAPSED TIME		
0-108	253	MEAN MAN-HOURS		
1-3	051	CARD SEQUENCING CODE	•	
1-4,10,16	288	OPERATIONS MAINTENANCE LEVEL	•	
1-5,11,17	414	SERVICE DESIGNATOR CODE		
1-6,12,18	423	SKILL SPECIALTY CODE	<u> </u>	
1-7,13,19	422	SKILL LEVEL CODE		
1-8,14.20 1-9.15, 21	358 937	QUANTITY SKILL SPECIALTY CODE AVAILABLE AVAILABLE MAN-HOURS	+	
2-3	051	CARD SEQUENCING CODE		
2-4	181	ITEM NAME	+	
2.5	271	NUMBER TYPE	+	
2 6	260	NATIONAL STOCK NUMBER REFERENCE NUMBER		
2.7	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
3-3	051	CARD SEQUENCING CODE		 -
3-4	012	ADDITIONAL SPECIFICATIONS REQUIREMENTS		
		LSAR DATA RECORD B		
1-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete 8 Record)		
1-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete 8 Record as needed.)		
1.3	106	END ITEM ACRONYM CODE	I -	

PARTI		LSAR DATA SELECTION SHEET	OMB	1 Approved 1 No. 0704-0188 Date: June 30, 1986
CARD/ BLOCK NUMBER	DED	DATA ELEMENT NAME		REQUIRED
	 	LSAR DATA RECORD A		
01-1	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (Applies to complete A Record)	_	
01-2	023	ALTERNATE LSA CONTROL NUMBER CODE (Applies to complete A Record as needed)	•	
01-3	106	END ITEM ACRONYM CODE		
01-4	414	SERVICE DESIGNATOR CODE		
01-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
01-6	098	DRAWING CLASSIFICATION		
01-7	411	SERIAL NUMBER EFFECTIVITY		
01-8	536	USABLE ON CODE	_	
	536	OPTION 1		
	536	OPTION 2		
	536	OPTION 3		
01.9	535	UPDATE CODE (Applies to complete A Record)	-	
02-3 03-3	181	USABLE ON CODE		
03-3	178	ITEM NAME		
03-5	069	CONVERSION FACTOR		
04-3	213	MANUFACTURER'S PART NUMBER	_	
04-4	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
04-5	099	DRAWING NUMBER		
04-6	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS		
04-7	545	WORK UNIT CODE / TECHNICAL MANUAL FUNCTIONAL GROUP CODE		
05-3	214	MANUFACTURER'S PART NUMBER OVERFLOW		
05-4	100	DRAWING NUMBER OVERFLOW		
06-3.5,7	029	ANNUAL OPERATING REQUIREMENTS		
06-4.6.8	244	MEASUREMENT BASE		
06-9	285	OPERATIONAL REQUIREMENT INDICATOR		
06-10	027	ANNUAL NUMBER OF MISSIONS		
06-11	028	ANNUAL OPERATING DAYS		
06-12	234	MEAN MISSION DURATION		
06-13	244	MEASUREMENT BASE		
06-14	254	MODE OF TRANSPORT		
06-15	499	TOTAL SYSTEMS SUPPORTED		
06-16	073	CREW SIZE		
06-17 07-3	268	NUMBER OF OPERATING LOCATIONS CARD SEQUENCING CODE		····
07-4	248	MINIMUM ACCEPTABLE VALUE		
07-4A	235	MEAN TIME BETWEEN FAILURES		
07-48	236	MEAN TIME BETWEEN MAINTENANCE ACTIONS		
07-4C	244	MEASUREMENT BASE		
07-40	241	MEAN TIME TO REPAIR		
07-4E	219	MEAN ACTIVE MAINTENANCE DOWNTIME		
07-5	039	BEST OPERATIONAL CAPABILITY		
07-5A	235	MEAN TIME BETWEN FAILURES		
07·5B	236	MEAN TIME BETWEEN MAINTENANCE ACTIONS		
07-5C	244	MEASUREMENT BASE		
07-5D	241	MEAN TIME TO REPAIR		
07-5E	219	MEAN ACTIVE MAINTENANCE DOWNTIME]	
08-3	218	MAXIMUM TIME TO REAPIR		
08-4	312	PERCENTILE		
08-5	158	INHERENT AVAILABILITY		
08-6	003	ACHIEVED AVAILABILITY		
08-7	283	OPERATIONAL AVAILABILITY		
08-8	015	ADMINISTRATIVE AND LOGISTIC DELAY TIME		

Required for automated processing

DD Form 1949-1, 84 JUL

Previous editions are obsolete

Part L Page 1

DI-L-7159	LSA-015, Sequential Task Description Report [3.2.2.4]
DI-L-7180	LSA-060, LSA Control Number (LCN) Master File [3.2.2.4]
DI-L-7181	LSA-061, Parts Master File [3.2.2.4]
IIDT I 2020AR	Diannod Waintonango System Dosumentation (2 2 1 6)

TO THE PROPERTY OF THE PARTY OF

tasking and data requirements. Agreements reached on the form and substance of the LSA program shall be incorporated into the LSA plan.

(2) というないできる。これが対象がは、これできる。

4.0 <u>DATA ITEM DFSCRIPTIONS</u>. The following data items are part of this requirement to the extent required in this statement of work and the CDRL, DD Form 1423. [SEE STEP 5 OF INSTRUCTIONS ON PAGE A-1]

Report, LOR (Level of Repair) Summary [3.2.1.8]

DI-L-2082A

DI-L-2083A	Reports, LOR (Level of Repair) Status [3.2.1.8]
DI-L-2084A	Plan, LOR (Level of Repair) Program [3.2.1.8]
DI-L-2085A	Report, LOR (Level of Repair) Analysis [3.2.1.8]
DI-S-3606	System/Design Trade Study Reports [3.2.1.2, 3.2.1.6, 3.2.1.7, 3.2.1.8, 3.2.1.9]
DI-S-4057	Scientific and Technical Reports [3.2.1.5]
DI-L-7017A	LSA Plan [3.1, 3.3, 3.4]
DI-H-7068	Task and Skill Analysis Report [3.2.1.9]
DI-A-7088	Conference Agenda [3.1f, 3.1g, 3.5]
DI-A-7089	Conference Minutes [3.1f, 3.1g, 3.5]
DI-S-7115	Use Study Report [3.2.1.1]
DI-S-7116	Comparative Analysis Report [3.2.1.3]
DI-S-7117	Technological Opportunities Report [3.2.1.4]
DI-S-7118	Early Fielding Analysis Report [3.2.1.10]
DI-P-7119	Post Production Support Plan [3.2.1.11]
DI-S-7120	Supportability Assessment Plan [3.2.1.12]
DI-S-7121	Supportability Assessment Report [3.2.1.9, 3.2.1.12]
DI-L-7145	Logistic Support Analysis Record (LSAR) Data [3.2.1.5, 3.2.1.6, 3.2.1.9, 3.2.2.2] [SEE STEP 8 OF INSTRUCTIONS ON PAGE A-2]

installed at NAVSEA and at the contractor's facility. The contractor shall provide access to the software and a unique password to
allow for the full range of data base interrogation and output
generation provided by this system. In addition, the contractor
shall make the LSAR available for Government quarterly reviews.

- 3.2.2.4 <u>LSA Data Delivery</u>. Data shall be delivered in accordance with the applicable Data Item Description listed in paragraph 4.0 and the CDRL.
- 3.3 LSA Candidate Selection. The contractor shall develop an LSA candidate list and provide the list as part of the LSA plan. LSA candidates shall be selected from the systems, subsystems, components, assemblies, and subassemblies of the [END ITEM] and its attendant support and training equipment. Only those candidates that do not have an existing support posture, for the proposed application, will be entered into the LSA process. Existing support posture includes, but is not limited to: maintenance plan, manpower and personnel, supply support, support and test equipment, technical data, training and training devices, computer resources support, facilities, and packaging, handling, storage, and transportation. Candidates shall include contractor furnished equipment and Government furnished equipment. The Government will review the candidate list and designate those items approved for LSA.
- 3.4 <u>LSA Control Numbers</u>. The LSA process shall use a control numbering system to establish a systematic breakdown of the [END ITEM] into its functional systems, subsystems, component/assemblies and parts. The control numbering system shall be related to a functional group code and expanded ship work breakdown structure in accordance with NAVSEAINST 4790.1A. The contractor shall delineate the control numbering system to be used in the LSA plan.
- 3.5 <u>LSA Guidance Conference</u>. The contractor shall host/participate in an LSA guidance conference within 30 days after contract award to establish Government/contractor interfaces and to finalize LSA

PART II			LSAR DATA SELECTION SHE	E	F			_						
		LSA-	036 REPORT SELECTION	R E Q D	1111	PL	Stob	C 8 I L	R L	I S I L	PCL	T E L	SCPL	D C N
SEC	QUENCE													+
LOGISTICS	IPPORT ANA	LYSIS REC	ORD CONTROL NUMBER TOPDOWN		T			$\overline{}$	П				\dashv	
			DISASSEMBLY	1									-1	+
			REFERENCE DESIGNATION		T									十
REFERENCE	NUMBER						П				\Box		\exists	\mp
MEI	DIA			Г	T								7	\top
HARD COPY	, -			\vdash	\vdash	Н				-			7	+
EAM PUNCH					\vdash	Н		_		\dashv	\dashv	一	_	\dashv
MAGNETIC				\vdash	\vdash	П	\Box		寸					\top
7-TRA		7	EVEN PARITY BCD CODED		1,				}		}	: }	- 1	- }
7-110	```` <u> </u> _	_	SCO CODED							-		ı		
9-TRA	vck		ODD PARITY EBCDIC CODED		1								ļ	ł
8008	PI []	1600 BPI 6250 BPI										ł	ł
NUMBER O	F RECORDS F	PER BLO	CK IS		<u> </u>	Ш								\perp
HE	ADER D	ATA											.	
PROCUREM	ENT INSTRU	MENT ID	ENTIFICATION (PIINISPIIN)		oxdot									\Box
NOMENCLA	TURE OR MO	DEL OR 1	YPE NUMBER		oxdot								\Box	\Box
CONTROL D				_	Ļ	Ш	\Box	_		\Box			_	\rightarrow
			OR MANUFACTURERS (FSCM)	_	<u> </u>	Щ	Щ		Щ	Щ			\dashv	
	N CONTROL C	ODE		_	├-	Н			\Box		Щ	Щ	\dashv	\rightarrow
DATE (YYM	MDD)			L.,	<u> </u>				ш		Ш	Ш	1	
													_	
RECORD CARD AND BLOCK NUMBER	LSA-036 REPORT CARD AND BLOCK NUMBER	DED	DATA ELEMENT NAME	S. F. CO.D	L	PL	S F P L	CBIL	R I L	I S I L	P C .L	T E L	200	DU 2
			AUTOMATED		\vdash			1			1	1	Н	\Box
			MANUAL					Γ	L				П	
01-1	A-6	372	REFERENCE NUMBER (All H cards)											
01-2		421	SIGNIFICANT CHARACTER CODE (All H cards as required)							\Box		L		\Box
01-3	<u> </u>	345	PROVISIONING SYSTEM IDENTIFIER CODE (All H cards)		$ldsymbol{oxed}$				$oxedsymbol{oxed}$	\Box			\Box	\Box
01-4	Δ-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	<u> </u>	_	<u> </u>	<u> </u>	L	<u> </u>	_	Ļ	lacksquare	П	$oldsymbol{oldsymbol{oldsymbol{\Box}}}$
01-5	Δ.7	373	REFERENCE NUMBER CATEGORY CODE	_	ļ	-	<u> </u>	↓_	↓	\vdash	ـــ	-	Ш	\vdash
01-6	A-10	337	PROGRAM PARTS SELECTION L ST	\vdash	\vdash	\vdash	—		ـــ		↓_	 	Ш	\dashv
01-7	Δ.8	375	REFERENCE NUMBER VARIATION CODE		├_	₩	├—	+-	╀		-	-	$\vdash \vdash$	\vdash
01-8	A-9	096	DOCUMENT AVAILABILITY CODE	₩	├	├-	 	┼	┼	\vdash	\vdash	├	⊢┤	\vdash
01-9 01-10	A-12	181 346	PROVISIONING TECHNICAL DOCUMENTATION SELECTION CODE	-	├	⊢	⊢	+-	\vdash	\vdash	-	\vdash	Н	\vdash
51110	8-21	355	QUANTITY PER UNIT PACK	├	-	₩.	-	+-	 	⊢	₩	₩.	⊢	\vdash

D-50 SPECIAL MAINTENANCE ITEM CODE 01-17 3-25 152 HARDNESS CRITICAL ITEM Required for automated processing DD Form 1949-1, 84 JUL Partil Page

Previous editions are obsolete

TOTAL QUANTITY RECOMMENDED

SPECIAL MATERIAL CONTENT CODE

PROVISIONING LIST CATEGORY CODE

PRODUCTION LEAD TIME

C-37

8-24

D-48

0-49

498

336

441

341

439

01-12

01-13

01-14

01-15

01-16

14/14/1	LSA-036	T		I A	ΤL	ρ	S	C	R	lτ	9	l۲۰	5	n
H/H1 RECORD CARD AND BLOCK NUMBER	REPORT CARD AND BLOCK NUMBER	DED NO	DATA ELEMENT NAME	000	T	PL	14 P P	BIL	Ĩ	ŠIL	Ċ	T E L	S C P L	DCN
1-18	8-27	325	PRECIOUS METAL INDICATOR CODE	I	†									
1-19		535	UPDATE CODE (Applies to complete H Record)	Ł	┸	<u> </u>	乚	<u> </u>	L				Ш	
2-4		374	REFERENCE NUMBER OVERFLOW	┸	┸			L	L	L	lacksquare		Ш	Ĺ
2.5	B-15_	259	NATIONAL STOCK NUMBER AND RELATED DATA		L	1_	$oxed{oxed}$	_						L
2-6	8-18	521	UNIT OF ISSUE		١.	1	L		L				ل	
2-7	8-19	523	UNIT OF ISSUE PRICE		L			L.,						
2-8	8-20	522	UNIT OF ISSUE CONVERSION FACTOR	$oxed{\Gamma}$	L	Γ								
)2-9	A-13	415	SHELF-LIFE	Γ									\Box	
2-10	A-14	416	SHELF-LIFE ACTION CODE	Т	Τ	T							П	
3-4		051	CARD SEQUENCING CODE	1	Т	П							П	$\overline{}$
3-5	A-6	009	ADDITIONAL REFERENCE NUMBER	T	Τ	1							╗	
3-6	A-5	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	Т	Т	T	П					┪	╛	_
3-7	A-7	373	REFERENCE NUMBER CATEGORY CODE	1	1	✝	Г	_					\dashv	_
3-8	A-8	375	REFERENCE NUMBER VARIATION CODE	1	\top	✝	П	П	П	\Box	Н	\dashv	⇥	_
3.9	C·40	216	MAXIMUM ALLOWABLE OPERATING TIME	十	†	1	Н		Ţ				-1	_
3-10	C-41	203	MAINTENANCE ACTION CODE	╈	+	✝	Н	_			П	-	-	_
3-11	B-26	320	PHYSICAL SECURITY / PILFERAGE CODE	+	+	\vdash	\vdash	_	\vdash			\dashv	╛	$\overline{}$
3-12	8-28	035	AUTOMATIC DATA PROCESSING EQUIPMENT CODE	$^{+}$	十	+-		Н	\vdash	Н		\neg		_
3-13	D-51	020	ALLOWANCE ITEM CODE	╁	+	╅		_	Н	Н	\vdash			
3-14	D-52	021	ALLOWANCE ITEM QUANTITY	╁	┿	╁	H	_	-	_	Н		\dashv	_
4-4	0-32	051	CARD SEQUENCING CODE	╁	┿	╁	\vdash			\vdash	Н	\dashv	\dashv	_
4-5	8-17	525	UNIT OF MEASURE PRICE	+	╁	┼-	-		Τ	Н	\vdash	\vdash	\dashv	\vdash
4-6	J	201	LOT QUANTITY	+	╁	╁╴		Н			Н	\vdash	\dashv	_
4-7	 	075	CURRENT PRODUCTION CODE	┿	╁	╫			_		Н	\dashv	\dashv	_
4-8		514	TYPE OF UNIT OF MEASURE PRICE CODE	╁	十	╁		\vdash	Н	Н	Н	\dashv	\dashv	_
4-9		347	PROVISIONING UNIT OF MEASURE PRICE CODE	+-	╁╴	┾	-	\vdash	\vdash	\vdash	\vdash	Н	\vdash	\vdash
14-10	 	141	FISCAL YEAR	┿	┿	┿	-	┝	1	Н	Н	-		
	B-16	524		╫	╁	┿	H	-	\vdash	-	Н		\vdash	\vdash
04-11	-	066	UNIT OF MEASURE	┿	┿	╄	-	-	H	\vdash	\perp	\vdash	\vdash	-
04-12	E-62		CONTRACTOR TECHNICAL INFORMATION CODE	+-	╁	╀	-	┝	┝┈	_	Щ	-	\dashv	—
04-13	E-63	004	ACQUISITION METHOD CODE	┿	┿	-	⊢	-	\vdash		Н			
)4-14	E-65	005	ACQUISITION METHOD SUFFIX CODE	+-	┿	-	<u> </u>	.	⊢	-			\sqcup	<u> </u>
04-15		139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	+	+-	₩	Ь.	<u> </u>	Н	Н	Щ		Ш	<u> </u>
)5-4	J-86	038	BASIS OF ISSUE	4-	4	़	╙	<u> </u>	Ш		Ш	\Box	_	-
		├	LSAR DATA RECORD H1	┿	┿	↓_	┡	┞-	L		Ц	Ц	_	<u> </u>
			AUTOMATED	+	+-	╄	L	_	Щ	_	L	Ш		<u> </u>
		\longmapsto	MANUAL	↓	\downarrow	↓_	╙	ļ_		L.	Ц	\Box		_
9-1	A-6	372	REFERENCE NUMBER	4	\bot	_	<u> </u>	_	Щ		Щ			<u> </u>
9-2		421	SIGNIFICANT CHARACTER CODE	\perp	\perp	L	┖							
9-3	H-76	197	LOGISTIC SUPPORT ANALYSIS CONTROL NUMBER (All H1 cards)	上	┷	┖	L							
)9-4	H-77	023	ALTERNATE LSA CONTROL NUMBER (All H1 cards as required)	1	\perp	┸	L							Į
9-5	L	345	PROVISIONING SYSTEM IDENTIFIER CODE	L										Ĺ
9-6		051	CARD SEQUENCING CODE	<u>. L</u>										
9-7	D-44	536	USABLE ON CODE	ī		Π							\Box	$\overline{}$
	L		OPTION 1	Ι	Ι	Γ	\Box							
			OPTION 2	Т	Т	T							\neg	$\overline{}$
			OPTION 3	T	T									_
9-8		535	UPDATE CODE (All H1 cards)	. T	Τ	\top		Г	Г	Г			П	
10-6		051	CARD SEQUENCING CODE	+-	1	Τ				Г				_
10-7	A-1	340	PROVISIONING CONTRACT CONTROL NUMBER	1	+	\top	1		П		П	Н	\vdash	$\overline{}$
10-8	A-4	157	INDENTURE CODE	十	+	+	\vdash		†	Ι	\vdash	\dashv	\sqcap	$\overline{}$
		+	ATTACHING HARDWARE	-	+	+	-		⊢	⊢	_	-	_	_

Part II Page 2

PART II			LSAR DATA SELECTION SH	EE.	T		٠							
H1 RECORD CARD AND BLOCK NUMBER	LSA-036 REPORT CARD AND BLOCK NUMBER	DED NO.	OATA ELEMENT NAME	R E QO	LLTIL	PPL	SFPPL	C B I L	R I L	I S I L	PCL	T T E L	S C P L	000
		\vdash	OPTION 1	+	 	╁	\vdash	_	┢	_	\vdash	Н	\vdash	
		1	OPTION 2	十一					Г					П
			OPTION 3	\top										П
			OPTION 4	\top			П							
			OPTION 5	1		П	Г		Г				П	
			KIT	\top	Г	Г								
			OPTION 1			П								П
			OPTION 2	\top	\vdash								\Box	П
			OPTION 3	\top		П							П	
10-9	A-2	342	PROVISIONING LIST ITEM SEQUENCE NUMBER	\top										
10-10	A-3	509	TYPE OF CHANGE CODE	\top										П
10-11	C-33	352	QUANTITY PER END ITEM	1										П
			OPTION 1	\top	Г									\Box
			OPTION 2	T										
10-12	C-29	261	NEXT HIGHER ASSEMBLY PROVISIONING LIST ITEM	1										
			SEQUENCE NUMBER											
10-13	C-30	262	NHA PLISN INDICATOR	\top										
10-14	C-31	298	OVERHAUL REPLACEMENT RATE	\top	Γ									
10-15	C-38	397	SAME AS PROVISIONING LIST ITEM SEQUENCE NUMBER	1										
10-16	C-39	335	PRIOR ITEM PROVISIONING LIST ITEM SEQUENCE NUMBER		Г									
10-17	C-32	351	QUANTITY PER ASSEMBLY						П					
			OPTION 1	T	Γ									
			OPTION 2											
10-18		080	DATA RECORD STATUS CODE	\top										Г
10-19		461	SUPPRESSION INDICATOR CODE											Г
11-6		175	ITEM CATEGORY CODE											
11-7	8-22	436	SOURCE, MAINTENANCE, RECOVERABILITY CODE	T					Γ		П			Г
11-8	B-23	082	DEMILITARIZATION CODE			П								
11-9	8-34	206	MAINTENANCE REPLACEMENT RATE 1											
			OPTION 1			Г								
			OPTION 2											Π
11-10	8-35	207	MAINTENANCE REPLACEMENT RATE II	T	Γ	П								Г
			OPTION 1											
			OPTION 2											П
11-11	8-36	208	MAINTENANCE REPLACEMENT RATE MODIFIER	T	П						Π			
11-12	E-58	209	MAINTENANCE TASK DISTRIBUTION											
12-6	A-11	108	ESSENTIALITY CODE											
12.7	C 43	193	LINE REPLACEABLE UNIT											Π
12-8	C-42	266	NOT REPARABLE THIS STATION	\perp	L				[
12-9	0.59	386	REPAIR SURVIVAL RATE		L^{T}									
12-10	0-53	250	MINIMUM REPLACEMENT UNIT											
12-11	0.55	364	RECOMMENDED INITIAL SYSTEM STOCK BUY			\Box			\Box	\Box				
12-12	D-54	365	RECOMMENDED MINIMUM SYSTEM STOCK LEVEL		Γ				L^-	\Box				
12-13	D-56	367	RECOMMENDED TENDER LOAD LIST QUANTITY	\perp						\Box				
12-14	E-61	090	DESIGNATED REWORK POINT		Γ									
13-6	E-59	385	REPAIR CYCLE TIME		L	\Box				\Box				
			OPTION 1	$oldsymbol{oldsymbol{oldsymbol{\Box}}}$										
			OPTION 2		Γ					\Box				
13-7	E-60	391	REPLACEMENT TASK DISTRIBUTION			L								L

Part II Page 3

41	LSA-036	1 B			R	16	P	1 2	1 .	R	1 .	, - ,	r) >	טו
CARD	REPORT	OED			E	Ļ	P	S F	8	ľ	I S I	C	E	S	C
AND	AND	NO.	DATA ELEMENT NAME		8	i		P	i	-	li		Ĺ	انا	~
BLOCK	BLOCK		DATA ECENCIA. TAME			L		L		1		1			1
IUMBER	NUMBER										L				L
			REFERENCE DESIGNATION ORIENTED EQUIPMENTS			L				L					
			OPTION 1		L	┖		Ш		<u> </u>	Ш	<u> </u>			—
			OPTION 2		L.	Щ	Ц	Щ		_					_
			NON-REFERENCE DESIGNATION ORIENTED EQUIPMENTS		Щ		Ш	\vdash	Ш		Ш		_		<u> </u>
			OPTION 3			_	Ц	Щ	Ш	_	_	\square	_	_	
	<u> </u>		OPTION 4		L.	Щ		\vdash	\vdash		Ш	\dashv		-	
	ļ		OPTION S		<u> </u>	Ш			 	Щ	Щ		4	_	
4-8	D-46	371	REFERENCE DESIGNATOR OVERFLOW CODE		<u> </u>	Щ			Ш	Щ	Н	_	-		
4.9	D-47	370	REFERENCE DESIGNATION CODE		-		\Box		Ш	\vdash	Щ	-	4	_	<u> </u>
5.6		051	CARD SEQUENCING CODE		<u> </u>	Щ	-			\vdash	Н		4		
5.7	j-79	479	TECHNICAL MANUAL CODE		┝	Н	\dashv		\vdash	\vdash	\vdash	\dashv	-		
5-8	1-80	140	FIGURE NUMBER		┝	-		\dashv	Н	Н	Н	\dashv	\dashv		
5-9	1.81	182	ITEM NUMBER		\vdash	Н	\dashv		\dashv	H		\dashv	\dashv		_
5-10	1-82	478	TECHNICAL MANUAL CHANGE NUMBER		-	Н	\dashv		\vdash	┝╌┤		\dashv	-		
5-11 5-12	J-83 J-84	353	TECHNICAL MANUAL INDENTURE CODE QUANTITY PER FIGURE		┝╌	Н	-	\dashv	H		\vdash	\dashv	\dashv		
5-13	1-85	545	WORK UNIT CODE/TECHNICAL MANUAL FUNCTIONAL		H	Н	\dashv	\dashv	\dashv	\vdash	Н	\dashv		┪	
3-13	1.03	,,,,	GROUP CODE		┝	_	\dashv	\dashv	\vdash	H	\vdash	\dashv	↤	┥	_
6-6		481	TECHNICAL MANUAL INDICATOR		-	\vdash	Н	\dashv	H	\vdash	Н	\dashv	\dashv	\dashv	_
6-7		051	CARD SEQUENCING CODE	_	\vdash	Н	\vdash	\dashv	H	Н	Н	_	\dashv		
6-8	K-87	343	PROVISIONING NOMENCLATURE		\vdash	Н		-	\vdash	_	\vdash	\dashv	ᅥ	┪	
7.6		051	CARD SEQUENCING CODE	_	\vdash		\vdash	\neg	Н	H	П	\sqcap		\neg	_
7.7	F-65	052	CHANGE AUTHORITY NUMBER		-		\Box	\dashv	Н	М	\vdash	\dashv		\dashv	_
7-8	F-66	164	INTERCHANGEABILITY CODE		\vdash	М	\dashv	\dashv	П	_	П	一	-	一	_
7.9	F-67	411	SERIAL NUMBER EFFECTIVITY		_	\vdash		\neg	М	\sqcap	\Box		_		_
7-10	F-69	389	REPLACED OR SUPERSEDING PROVISIONING LIST ITEM				П		М		П		\neg	_	_
			SEQUENCE NUMBER		Г		П	\Box	\Box		П	П	\neg	_	_
7-11	F-70	390	REPLACED OR SUPERSEDING PLISN INDICATOR		_									\neg	
8-6		051	CARD SEQUENCING CODE	_											_
8-7	F-65	052	CHANGE AUTHORITY NUMBER												
8-8	F-68	495	TOTAL ITEM CHANGES												
			OPTION 1												
			OPTION 2												
8-9	F-71	357	QUANTITY SHIPPED		L										
8-10	F.72	356	QUANTITY PROCURED				Ш	\square						\Box	_
8-11	F.74	338	PRORATED EXHIBIT LINE ITEM NUMBER		L.	_	Щ	Щ	Ш	L		Ш		_	
8-12	F-75	339	PRORATED QUANTITY		<u> </u>	L		_		ㄴ					
9-6		051	CARD SEQUENCING CODE		<u> </u>	ㄴ	Ш	\vdash	Ш	_	Ш	Ш		\Box	
9.7	F-65	052	CHANGE AUTHORITY NUMBER			┞	Щ	\vdash	Ш	⊢	_	Щ	\dashv	_	
9-8	F-73	087	DESIGN CHANGE NOTICE USABLE ON CODE		-	┡		\vdash	_	 -	⊢	Н	\vdash	_	
0-6		051	CARD SEQUENCING CODE		├	<u> </u>	Щ	Ш	Ш	<u> </u>	ш	Ш	_	_	
0-7	K-87	380	REMARKS			⊢	\vdash	\vdash		 	_	\vdash	Н	-	
		 		-	 	┝		—	-	├-	├	\vdash	\Box	_	
		-			├	├	\vdash	Н	⊢	₩	\vdash		Щ	\dashv	
		\vdash			+-	\vdash	\vdash	Н	⊢	-	\vdash	\vdash	$\vdash \dashv$	\dashv	
	 	\vdash			+	+	\vdash	\vdash	⊢	├	\vdash	\vdash	Щ	\vdash	
	 	\vdash			+-	\vdash	\vdash	H	⊢	├	\vdash	\vdash	\vdash	\dashv	_
		╁			-	-	Н	-	⊢	-	\vdash	Н	Щ	\dashv	_

CARD/		LSAR DATA SELECTION SHEET	
BLOCK NUMBER	DED NO	LSAR DATA RECORD H PACKAGING DATA	REQUIRED
26-4	301	PACKAGING CATEGORY CODE	
)6-5	245	METHOD OF PRESERVATION	
) 6-6	054	CLEANING AND DRYING PROCEDURE	
76-7	331	PRESERVATION MATERIAL CODE	
06-8	546	WRAPPING MATERIAL	
06-9	076	CUSHIONING AND DUNNAGE MATERIAL CODE	
06-10	077	CUSHIONING THICKNESS	
06-11	516	UNIT CONTAINER CODE	
06-12	168	INTERMEDIATE CONTAINER CODE	
06-13	169	INTERMEDIATE CONTAINER QUANTITY	
06-14	081	DEGREE OF PROTECTION CODE	
06-15	440	SPECIAL MARKING CODE	
06-16	527	UNIT PACK WEIGHT	
06-17	526	UNIT PACK SIZE	
06-18	442	SPECIAL PACKAGING INSTRUCTION NUMBER	
06-19	443	SPECIAL PACKAGING INSTRUCTION NUMBER REVISION	
06-20	303	PACKING CODE	
06-21	154	HAZARDOUS CODE	
07-4	517	UNIT CONTAINER LEVEL	
07-5	062	CONTAINER NATIONAL STOCK NUMBER	
07-6	292	OPTIONAL PROCEDURE INDICATOR	
07.7	529	UNIT SIZE	
07-8	530	UNIT WEIGHT	
07.9	139	FEDERAL SUPPLY CODE FOR MANUFACTURERS	
07-10	454	SUPPLEMENTAL PAKAGING DATA	
08-4	455	SUPPLEMENTAL PACKAGING DATA OVERFLOW	
	1		
	 		
	1 1		 -
	1		
•	 		
	1	· · · · · · · · · · · · · · · · · · ·	
	+1		
	1-1	······································	
	╁╌╌┧		
	 		
	+1		
	╅╌╌┪		
	+-1		
	+		
	╁╌┤		+
	┿	<u> </u>	
	┿┤		
	\vdash	·	-
	+		
	+		
	+		
	┼ ─┤		
	+		
	} —-		
	├		
	 	· · · · · · · · · · · · · · · · · · ·	
	+-		
	1		

Part II Page 5

END

FILMED

7-85

DTIC